

PIXMA TS9550a A3 ALL-IN-ONE FOR THE HOME OFFICE OR HOME CRAFTER



Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



A3 All-in-One printer



Front / Rear
Paper Feeding

2-way paper feeder



ADF

20-sheet ADF



Smartphone and
Tablet print/scan

Canon PRINT app



Connectivity

Wireless and
Ethernet connectivity



5 Individual Inks

5 individual inks





Compact A3 solution

Why sacrifice space when this compact All-in-One printer offers A3 printing with a comparable A4 footprint? The compact and sleek design also includes an intuitive 10.8cm (4.3 inch) touchscreen and an oversize copy feature to manage A3 documents with ease.



Smart and connected

Boost work efficiency by operating your printer with your smartphone. Use the Canon PRINT app and seamless Wi-Fi connectivity to take the fuss out of printing, scanning and copying, or print direct with AirPrint (iOS) and Mopria (Android). You can link up to the local network using the Ethernet connection.



Direct access

Enjoy total connectivity and take the fuss out of printing. Cloud printing and scanning* is a breeze using Cloud Link via the Canon PRINT app. You can even integrate PIXMA TS9550a Series into your smart home and control some basic functions with Alexa-enabled devices**.



Best for business

PIXMA TS9550a Series is the perfect home office companion with Ethernet for network connection and cloud scanning* to Evernote, Dropbox and Google Drive via the Cloud Link. Create booklets straight from the touchscreen and multi-task with the 2-way paper feeder and 20-sheet ADF***.



Professional production

A printer that's perfect for capturing the detail you need. A dedicated pigment black ink keeps text with true clarity while Canon's class-leading FINE printhead technology and 5 individual inks mean photos benefit from rich graduation and up to 100-year album life.

PRODUCT RANGE



PIXMA TS8750 Series



PIXMA TS7750i



PIXMA TS7650i



*Scan to cloud and scan to email only available for genuine Canon ink users
**Amazon and Alexa are trademarks of Amazon.com, Inc. or its affiliates
***A4/LTR/LGL sizes only

GENERAL SPECIFICATIONS

Model Numbers PIXMA TS9550a ^[10]
Functions Wireless/Ethernet, Print, Copy, Scan, Cloud link

PRINTER SPECIFICATIONS

Print Resolution Up to 4800 ^[11] x 1200 dpi
Print Technology 5 Individual Inks (PGBK, BK, C, M, Y)
 ChromaLife100 inks
Mono Print Speed Approx. 15.0 ipm ^[2]
Colour Print Speed Approx. 10.0 ipm ^[2]
Photo Print Speed Borderless 10x15cm : Approx. 12 seconds ^[3]
Borderless Printing Yes (A3, A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)
Two Sided Printing Auto Duplex Print (A4, A5, B5, LTR - Plain Paper)

CONSUMABLES AND INK YIELDS

Standard Ink Cartridges 5 individual ink tanks
 PGI-580PGBK (Pigment Black)
 CLI-581BK (Black)
 CLI-581C (Cyan),
 CLI-581M (Magenta),
 CLI-581Y (Yellow)
Optional XL/XXL Ink Cartridges High yield XL ink tanks
 PGI-580PGBK XL (Pigment Black)
 CLI-581BK XL (Black)
 CLI-581C XL (Cyan)
 CLI-581M XL (Magenta)
 CLI-581Y XL (Yellow)

High yield XL ink tanks
 PGI-580PGBK XXL (Pigment Black)
 CLI-581BK XXL (Black)
 CLI-581C XXL (Cyan)
 CLI-581M XXL (Magenta)
 CLI-581Y XXL (Yellow)

Cartridge Yield (Plain paper)

A4 Colour Document ^[4]
 Pigment Black: 200 pages
 Pigment Black XL: 400 pages
 Pigment Black XXL: 600 pages
 Black: 1451* pages
 Black XL: 3120* pages
 Black XXL: 6360* pages
 Cyan: 256 pages
 Cyan XL: 515 pages
 Cyan XXL: 820 pages
 Magenta: 237 pages
 Magenta XL: 474 pages
 Magenta XXL: 760 pages
 Yellow: 257 pages
 Yellow XL: 514 pages
 Yellow XXL: 824 pages
 * Estimated supplemental yield

Cartridge Yield (Photo print)

10x15cm photo ^[5]
 Pigment Black: 1263* photos
 Pigment Black XL: 3373* photos
 Pigment Black XXL: 5500* photos
 Black: 231* photos
 Black XL: 520* photos
 Black XXL: 858* photos
 Cyan: 83 photos
 Cyan XL: 170 photos
 Cyan XXL: 282 photos
 Magenta: 108 photos
 Magenta XL: 225 photos
 Magenta XXL: 367 photos
 Yellow: 99 photos
 Yellow XL: 199 photos
 Yellow XXL: 322 photos
 * Estimated supplemental yield

PAPER SUPPORT

Paper Types Plain Paper
 Canon High Resolution Paper (HR-101N)
 Canon Pro Platinum (PT-101)
 Canon Plus Glossy II (PP-201)
 Canon Pro Luster (LU-101)
 Canon Plus Semi-gloss (SG-201)
 Canon "Everyday Use" (GP-501)
 Canon Matte (MP-101)
 Canon Double Sided Matte (MP-101D)
 Envelopes
 Other Fine Art Papers
 Printable Discs

Maximum Paper Input

Removable Photo Stickers (RP-101)
 Magnetic Photo Paper (MG-101)
 Dark Fabric Iron on Transfers (DF-101)
 Light Fabric Iron on Transfers (LF-101)
 Premium Fine Art Rough (FA-RG1)
 Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets A4/ 50 sheets A3 (plain paper)

Front Cassette: Max. 100 sheets (plain paper)

Multi-purpose Tray: 1 printable CD, DVD or Blu-Ray Disc

Rear Tray:
 A3/A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/
 13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/
 30x30cm, Envelopes(DL,COM10)
 [Custom size] width 55mm - 215.9 mm,
 length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR
 [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²

Front Cassette: Plain Paper: 64-105 g/m²

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS

Scanner Type Flatbed, ADF and CIS colour scanner
Scanner Resolution (Optical) 1200 x 2400 dpi ^[6]
Scanning Depth (Input / Output) Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

Maximum Document Size Flatbed: A4, LTR (216x297mm)
 ADF: A4, LTR, LGL

COPIER SPECIFICATIONS

Copy Speed sFCOT: Approx. 19sec^[7]
 sESAT: Approx. 6.5ipm^[7]
 sESAT ADF: Approx. 5.9 ipm^[7]
 99 copies max.

Multiple Copy Copy Functions

Document Copying
 Photo Copying
 Borderless copy
 2-sided copy
 2-on-1 and 4-on-1 copy
 Frame erase copy
 Disc Label Copy
 ID copy
 25 - 400% (in 1% increments)
 Fit to page
 A5 to A3, B5 to B4, A4 to A3, A5 to A4, B5 to A4, A4 to B5, A4 to A5

Copy Zoom

INTERFACE

Display Type & Size 10.8cm LCD (TFT colour/Touch)
Display Languages 33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

CONNECTIVITY

Standard Interface Hi-Speed USB (B Port)
 Ethernet: 10/100Mbps (auto switchable)
 Wi-Fi: IEEE802.11 b/g/n/a ^[11]
 Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
 Wireless LAN Frequency Band: 2.4GHz

Mobile Apps

Canon PRINT app ^[12]
 Easy-PhotoPrint Editor app ^[13]
 Creative Park app ^[14]

Printer Features

Easy-PhotoPrint Editor Software ^[15]
 PIXMA Cloud Link ^[16]
 Canon Print Service Plugin (Android) ^[17]
 Apple AirPrint ^[18]
 Wireless Direct ^[19]
 Mopria (Android) ^[20]
 PosterArtist Web
 LAN/WLAN PictBridge
 Memory Card Slot

SOFTWARE**Supported Operating Systems**

Windows 11, Windows 10, Windows 8.1, Windows 7 SP1
Operation can only be guaranteed on a PC with pre-installed Windows 7 or later
NET Framework 4.5.2 or 4.6 is required
OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.14 (Sonoma)

Supported Mobile Systems

iOS, Android, Windows 10 Mobile ^[21]

Operational Requirements

Display: 1024 x 768 XGA

PHYSICAL FEATURES**Weight**

approx. 9.7kg

Dimensions (W x D x H)

With the trays retracted approx. 468 x 366 x 193 mm

With the trays extended: Approx. mm

approx. 49.5(A) ^[9]

Acoustic Noise Levels

Temperature: 15-30°C

Recommended Operating Environment

Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 1.2W

(scanning lamp off)

Standby (all ports connected): Approx. 2.0W

(scanning lamp is off)

Time to enter Standby mode: 10min 56sec

Copying: Approx. 14W ^[9]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
- [7] Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735.
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [8] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [9] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [10] Some colours may not be available in your region.
Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at
- [11] 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint
- [12] Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
Requires an Internet connection and the Creative Park app, available for free on the App Store and at
- [14] Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint
- [15] Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint
- [16] Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [17] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or
- [18] later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [19] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network.
- [20] The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [21] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

**A3 ALL-IN-ONE FOR THE HOME
OFFICE OR HOME CRAFTER**

PIXMA TS9550a

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.

Sales Start Date: May 2024



Product details

Product Name	Mercury Code	EAN Code
PIXMA TS9550a BK EUR	2988C038AA	4549292117622

Consumables

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
XL size		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
XXL size		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959

**A3 ALL-IN-ONE FOR THE HOME
OFFICE OR HOME CRAFTER**

PIXMA TS9550a

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS9550a BK EUR	2988C038AA	EA	Individual	1	550	272.5	484	12.3	11
			Pallet (Upper)	16	1,111	1101	972.5	210	197.9
			Pallet (Bottom)	24	1,111	1101	1456.5	298.5	296.9

**A3 ALL-IN-ONE FOR THE HOME
OFFICE OR HOME CRAFTER**

PIXMA TS9550a

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



What's in the box

PIXMA TS9550a

- All-In-One A3 inkjet printer – PIXMA TS9550a
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

